REFERENCES

1. Baskar R, Bhakshu LMd, Vijaya Bharathi G, Sreenivasa Reddy, Karuna K and Saralakumari (2006). Antihyperglycemic activity of aqueous root extract of Rubia cordifolia in streptozotocin induced diabetic rats. *Pharmaceutl Biol* 44(6):475-479.
2. Diabetes Care (2015) American Diabetes Association ;38(Suppl. 1):S8–S16
3. Riaz Samreen (2015**)**, "*Scientific Research and Assay*", Vol. 4, (5), 367-363.
4. Hur KY, Jung HS, Lee MS (2010) Role of autophagy in beta-cell function and mass. Diabetes Obes Metab 12 Suppl 2: 20-26.
5. Inzucchi SE (2002) Oral antihyperglycemic therapy for type 2 diabetes: scientific review. JAMA 287: 360-372.
6. Rizvi SI, Mishra N (2013) Traditional Indian medicines used for the management of Diabetes Mellitus. Journal of Diabetes Research.
7. Prabhakar PK, Doble M (2011) Mechanism of action of natural products used in the treatment of diabetes mellitus. Chinese Journal of Integrative Medicine 17: 563-574.
8. Gillett MJ (2009) International Expert Committee report on the role of the A1c assay in the diagnosis of diabetes: Diabetes Care 2009; 32(7): 1327-1334. Clin Biochem Rev 30: 197-200.
9. Selvin E, Steffes MW, Zhu H, Matsushita K, Wagenknecht L, et al. (2010) Glycated hemoglobin, diabetes, and cardiovascular risk in nondiabetic adults. N Engl J Med 362: 800-811.
10. Charde M.S., Fulzele S.V., Satturwar P.,(2006). Wound Healing and Antiinflamatory potential of Madhu Ghrita , Indian Journal of pharmaceutical science, 68(1), 26-31.
11. Rawat, S., Singh, R.,(2012). Wound healing Agents from Medicinal Plants, A Review, International Journal of Recent Advances in Pharmaceutical Research,2(4), 1-13.
12. Umachigi, S. P., Jayaveera, K. R., aAshnd ok Kumar, C. K.(2009). Evaluation of wound healing potential of poly herbal formulation, Pharmacology online 3(1), 505–512.
13. Loots MA, Lamme EN, Zeegelaar J, Mekkes JR, Bos JD, Middelkoop E. (1998),Differences in cellular infiltrate and extracellular matrix of chronic diabetic and venous ulcers versus acute wounds. *J Invest Dermatol*;111(5):850-7.
14. Patel, N.A., Patel, M., Patel, R.P.,(2011). Formulation and evaluation of polyhedral gel for wound healing, International Research Journal of Pharmaceutics. 1(1), 15–20.

15. Shetty, S., Uduap, Subhashani, S.,(2011). Preliminanry Phtochemical Investigation and Wound Healing Activity of Myristica Andamanica Leaves in Swiss Albino Mice. Journal of Medical Plant Research. 5(7), 1095-1106.
16. Junqueira et al.(2007) Clastogenicity of Piper cubeba (Piperaceae) seed extract in an in vivo mammalian cell system. Genetics and Molecular Biology.; 30(3): 656-663.
17. Bentley Robert (2002). Medicinal plants, Asiatic publishing house, New Delhi,; 4: 243.
18. Turner MA.(1965) In: Screening methods in Pharmacology. New York: Academic Press;. p. 26.
19. Yassin K, Huyen VT, Hoa KN, Ostenson CG (2011) Herbal extract of *Gynostemma pentaphyllum* decreases hepatic glucose output in type 2 diabetic goto-kakizaki rats. Int J Biomed Sci 7: 131-136.
20. Norberg A, Hoa NK, Liepinsh E, Van Phan D, Thuan ND, et al. (2004) A novel insulin-releasing substance, phanoside, from the plant *Gynostemma pentaphyllum*. J Biol Chem 279: 41361-41367.
21. Liou CJ, Huang WC, Kuo ML, Yang RC, Shen JJ (2010) Long-term oral administration of *Gynostemma pentaphyllum* extract attenuates airway inflammation and Th2 cell activities in ovalbumin-sensitized mice. Food Chem Toxicol 48: 2592-2598
22. Ostenson CG, Khan A, Abdel-Halim SM, Guenifi A, Suzuki K, et al. (1993) Abnormal insulin secretion and glucose metabolism in pancreatic islets from the spontaneously diabetic GK rat. Diabetologia 36: 3-8.
23. Portha B, Serradas P, Bailbe D, Suzuki K, Goto Y, et al. (1991) Beta-cell insensitivity to glucose in the GK rat, a spontaneous nonobese model for type II diabetes. Diabetes 40: 486-491.
24. Picarel-Blanchot F, Berthelier C, Bailbe D, Portha B (1996) Impaired insulin secretion and excessive hepatic glucose production are both early events in the diabetic GK rat. Am J Physiol 271: E755-762.
25. Grover JK, Vats V, Yadav S.(2002) Effect of feeding aqueous extract of Pterocarpus marsupium on glycogen content of tissues and the key enzymes of carbohydrate metabolism. Mol Cell Biochem;241:53-59.
26. Facs,Md,(2003). Acute wound healing An overview.Clin Plastic Surg (30), 1– 12
27. Keast D., (1994). Studied the Basic Principles of Wound Healing. 1(6), 18-20

28. Esimone, C. O., Ibezim, E. C., Chah, K. F., (2005). The wound healing effect of herbal ointments formulated with *Napoleona Imperialis.* Journal of Pharmaceutical and Allied Sciences. 3 (1) 294 -299.
29. Rajan,D.s., Rajkumar,M., Kumarappan,C.t., Senthil Kumar,K.l.,(2013). Wound healing activity of an herbal ointment containing the leaf extract of *Ziziphus Mauritiana* Lam., African Journal of Pharmacy and Pharmacology 7(3), 98-103
30. Khalil, E. A., Afifi, F. U., Hussaini, M., (2007). Evaluation of the wound healing effect of some Jordanian traditional medicinal plants formulated in pluronic F127 using mice. Journal of Ethnopharmacology, 109(5), 104–112.
31. Narayan, S., sasmal, D., Mazumder, P. M.,(2011). Evaluation of the wound healing effect of herbal ointment formulated with *Salvia splendens.* International journal of pharmacy and pharmaceutical science. 3 (3), 119–127
32. Patel, N.A., Patel, M., Patel, R.P., (2011). Formulation and evaluation of polyhedral gel for wound healing. International Research Journal of Pharmaceutics. 1(1), 15–20.
33. Rajashree, R.H., (2012). Formulation and evaluation of antiseptic polyherbal ointment. International Journal of Pharm. & Life Sciences, 3(10), 21-28.
34. Maharaja, D.,(2007). Wound healing activity of carica papaya L.in experimentally induced diabetic rats, Indian journal of experimental biology,4,(5), 739-743
35. Ghosh, D.S.,(2012). Evaluation of the wound healing activity of methanol extractof Pedilanthus tithymaloides (L.) Poit leaf and its isolated active constituents in topical formulation, journal of ethopharmacology, 1-9
36. Mainasara, S.A.,(2012). Phytochemical and Antibacterial Properties of Root and Leaf Extracts of *Calotropis procera*, Nigerian Journal of Basic and Applied Science , 20(1), 1-6.
37. Jain, S., Jain, N., Tiwari, A., Balekar N.K.,(2009). Simple Evaluation of Wound Healing Activity of Polyherbal Formulation of Roots of Ageratum conyzoides Linn., Asian Journal of Research Chem., 2,(2), 135-138.
38. Gurung,S., Skalko-Basnet N.,(2009). Wound healing properties of Carica papaya latex In vivo evaluation in mice burn model, Journal of Ethnopharmacology, 121, 338–341.

39. Nayeem, N., Rohini,R., Asdaq,S., Das, A.,(2009), Wound healing activity of the hydro alcoholic extract of Ficus religiosa leaves in rats, International journal of alternate, 6,(2),43-47.
40. Solanki,R.,Mathur,N.,Shiv Kumar, P., Manoj, M.,(2012). Evaluation of wound healing activity of ethanolic extract of ocimum basilicum and aegle marmelos leaves in male albino rats, International Journal of Drug Research and Technology, 2, (2), 198-202.